Barrow Borough Council Environmental Protection	Environmental Permitting Regs 2016 Part B Installation Risk Assessment Scoresheet		
Permit Holder Name:	PPC/B/15		
Contact:			
Address:	Chris Smith/ Store Manager- 433288		
Address:	Morrisons Supermarkets, The Strand, Barrow In Furness, LA14		
December of Installation.	2HF		
Description of Installation:			Petrol Station
Officer:	Geoff Dowker		
Date:	19th March 2018		
Date.			19th March 2016
	Score	Yes / No	Comments
Table A - Compliance			
(a) Incident leading to justified complaint but no	0	0/0	none (incident- car drove into Pump 6 25.11.11.
breach of any permit condition	-		Previously unrecorded.
(b) Incident leading to a justified complaint	0	5/0	None
(c) Breach of permit not leading to formal action	10	10 / 0	
(,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Cond 15. *Records not updated on onsite folder- Could be logged on Computer but not known at time of inspection- Asked to remedy ASAP.
(d) Incident leading to formal caution,	0	15 / 0	
Enforcement Notice or prosecution		10/0	None
(e) Incident leading to a Prohibition Notice or	0	20 / 0	
Suspension Notice		20/0	None- Item (c) easily rectified.
Table B - Monitoring, Maintenance, Records			
(a) Are emissions monitored as required in the	0	0 / 10	
permit? Are emissions and emissions monitoring	U	0710	
recorded as required in the permit?			N/A
recorded as required in the permit:			
(b) Process operation modified where any	0	0/5	
problems indicated by monitoring?	Ŭ	0,0	None
(c) Has a written maintenance programme been	0	0/5	
provided to the regulator with respect to pollution	Ŭ	0,0	None
control equipment?			
(d) Is there a log book at the authorised	5	0/5	A AL
premises incorporating details of all			As Above Note A(c), Pump maintenance
maintenance, examination and testing, inventory			12.10.15, Record of Vapour Inspection 6.5.13,
checking, installation and repair work carried			last electrical installation Cert 04.04.14, Last
out?			interceptor tank clean 21.01.13
(e) All relevant documents forwarded to the	0	-5 / 10	
authority by date required?			N/A
Table C - Management, Training			
(a) Are procedures in place to ensure proper	0	0/5	
management, supervision and training for			
process operations, proper use of equipment and			
effective preventative maintenance on all plant			Yes- manual records.
and equipment concerned with the control of			
emissions to the air?			
(b) Are all staff with responsibility for operating	0	0/5	
the installation trained to be aware of their			
responsibilities under the permit?			
(c) Does the operator keep, and make available,	5	0/5	
a record of the training received by each person			Register of persons competant last updated
whose actions may have an impact on the			23/3/12
environment?			
(d) Documented training records for all staff with	0	0/5	
air pollution control responsibilities?			
(e) Is there a competent trained person who	0	0/5	
remains near the tanker during unloading?			Vos
(Delivery drivers may be trained as the			Yes
competent person.)			
(f) Is an 'appropriate' environmental	0	-5 / 0	N/A
management system in place?			1 477 \$
TOTAL:	20	LOW	